


CLERK'S CERTIFICATION ON THE PLAN
DATE: _____

I, _____, CLERK OF THE TOWN OF LYNNFIELD, DO HEREBY CERTIFY THAT THE NOTICE OF APPROVAL OF THIS PLAN BY THE PLANNING BOARD HAS BEEN RECEIVED AND RECORDED AT THIS OFFICE AND NO APPEAL WAS RECEIVED DURING THE TWENTY DAYS NEXT AFTER SUCH RECEIPT AND RECORDING OF SAID NOTICE.



REQUESTED WAIVERS

PLAN WAIVERS:
SECTION 375-6.4.A(13) TO HAVE A LOCUS AT A SCALE OF 1"=40'.
375-6.4.C.2.k TO NOT HAVE AN APPROVED WETLAND BOUNDARY.

SHEET WAIVER:
375-6.4.E TO NOT HAVE A STREET LIGHTING PLAN
375-6.4.F TO NOT HAVE AN EROSION CONTROL PLAN (SHOWN ON TOPOGRAPHIC PLAN)

DESIGN WAIVERS:
375-6.11 TO NOT HAVE A STREET SIGN
375-7.1.A(10) TO HAVE AN ENTRANCE ROUNDING LESS THAN 25 FEET.
375-8.2.B(1) TO REDUCE PAVEMENT WIDTH TO 20 FEET AND TO ALLOW THE PAVEMENT CENTERLINE TO NOT COINCIDE WITH THE CENTERLINE OF THE ROADWAY.
375-8.2.B(2) TO UTILIZE A TURN-OUT CONFIGURATION IN PLACE OF A CUL-DE-SAC.
375-8.2.B(6) TO NOT HAVE CURBING ALONG THE ENTIRE ROADWAY SINCE THE DRAINAGE IS TO FLOW OFF OF THE PAVEMENT INTO A GRASS SWALE.
375-8.2.B(11) TO NOT HAVE STONE BOUNDS THE START AND END OF EVERY CURVE.
375-8.2.B(11) REQUEST NO SIDEWALKS.
375-8.3.B(1) TO ALLOW HDPE DRAIN PIPES IN PLACE OF RCP & REDUCE COVER BELOW 3 FEET.
375-8.3.B(2) TO ALLOW A DIFFERENT CASTING: LEBARON WHICH IS REQUIRED IS NO LONGER IN BUSINESS. USE EAST JORDAN IRON WORKS MODEL OMS55200024 OR APPROVED EQUAL.
375-8.5 REQUEST NO STREET LIGHTING.
375-8.7.A REQUEST A WAIVER OF THE REQUIREMENT FOR UNDERGROUND ELECTRIC.

NOTE:
THE ROADWAY, UTILITIES, AND DRAINAGE SYSTEM IS TO REMAIN PRIVATE.
NEW HOME TO BE SPRINKLED

ZONE: SINGLE RESIDENCE B (RR)

MINIMUM LOT AREA = 30,000 S.F.
MINIMUM LOT FRONTAGE (CORNER TO CORNER) = 150 FEET
LOT FRONTAGE ON CURVE 75% OF ACTUAL DISTANCE ON CURVE
MINIMUM LOT WIDTH = 120 FEET

MINIMUM YARD SETBACKS
FRONT = 40 FEET
SIDE = 20 FEET
REAR = 20 FEET

PERMITTED LOT COVERAGE = 35%

A PORTION OF THE PROPERTY IS LOCATED IN THE GROUNDWATER PROTECTION DISTRICT.

PROPERTY IS NOT LOCATED IN A FLOOD PLAIN DISTRICT.
BENCHMARKS: DATUM NAVD88

#1 TOP DRILL HOLE IN CONCRETE ELEVATION=92.38
#2 TOP TACK IN PAVEMENT ELEVATION=95.72
#3 TOP TACK IN PAVEMENT ELEVATION=93.78
#4 TOP STONE BOUND (DOWN 1") ELEVATION=101.02
#5 TOP STONE BOUND (DOWN 3") ELEVATION=99.37

CURRENT OWNERSHIP

THOMAS S. HICKMAN, AUDREY L. HICKMAN AND ZINA GREENWOOD
DEED REFERENCE: BOOK 10853 PAGE 62 ESSEX SOUTH
REGISTRY OF DEEDS
PLAN REFERENCE: PLAN BOOK 117 PLAN 7 ESSEX SOUTH
REGISTRY OF DEEDS
ASSESSOR'S PARCEL ID: 0033-0000-0288
#271 MAIN STREET

I CERTIFY THAT I HAVE CONFORMED WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS IN PREPARING THIS PLAN.


THIS PLAN IS BASED UPON AN ACTUAL FIELD SURVEY MADE ON THE GROUND ON MAY 17, 1990, DECEMBER 24, 2019 AND JANUARY 16, 2020.

DATE: AUGUST 13, 2020

PROFESSIONAL LAND SURVEYOR

ZONING TABLE				
LOT	UPLAND AREA (ft ²)	TOTAL LOT AREA (ft ²)	FRONTAGE (ft)	DISTRICT
1	30,143	30,143	220.68*	SINGLE RES. B
2	36,206	57,094	150.75	SINGLE RES. B

* - STRAIGHT LINE DISTANCE FROM POINT OF INTERSECTION OF PROPOSED SIDELINE OF NEW ROAD AND THE SIDELINE OF MAIN STREET TO THE PROPOSED LOT CORNER OF LOTS 1 & 2.



CONTROL LEGEND

ESSEX COUNTY STONE BOUND □ ECSB
DRILL HOLE ● DH
FOUND (FND)

Coordinate System

N: 925,790.972 m
E: 248,188.185 m

Massachusetts Mainland State Plane
Coordinates in meters based upon
NAD 83 (2011) (Epoch 2010.00) datum

LOTING PLAN

Seal of Professional Land Surveyor **PETER J. OGBURN #33604**

Signature: *Hayes*

Scale: 0' 10' 20' 40' 60'

DEFINITIVE PLAN
ROAD A
LYNNFIELD, MASS.
ASSESSORS MAP 33 LOT 288

DEVELOPER/OWNER: AUDREY HICKMAN, 271 MAIN STREET, LYNNFIELD, MA 01940

Engineer: Hayes Engineering, Inc., 603 Salem Street, Wakefield, Mass. 01880, www.hoyeseng.com

Scale: 1"=20'

LYNNFIELD PLANNING BOARD

August 13, 2020

Application Filed: _____
Final Plan Filed: _____
Hearing Date: _____
Plan Approved: _____
Plan Signed: _____

DEFINITIVE SHEET 1 OF 1

SHEET 1 OF 6

M:\L\19129\10271main\SPCS_R.dwg, 4/28/2021 11:17:06 PM, EBL


TREE ABBREVIATIONS:
 A - ARBOR
 AH - ASH
 D - DECIDUOUS
 M - MAPLE
 RC - RUM CHERRY
 S - SUMAC
 SP - SPRUCE
 T - TWIN
 TR - TRIFLE
 P - PINE

CLERK'S CERTIFICATION ON THE PLAN

DATE: _____

I, _____, CLERK OF THE TOWN OF LYNNFIELD, DO HEREBY CERTIFY THAT THE NOTICE OF APPROVAL OF THIS PLAN BY THE PLANNING BOARD HAS BEEN RECEIVED AND RECORDED AT THIS OFFICE AND NO APPEAL WAS RECEIVED DURING THE TWENTY DAYS NEXT AFTER SUCH RECEIPT AND RECORDING OF SAID NOTICE.

TOWN CLERK




LEGEND

- BIT BERM
- EDGE PAVEMENT
- SLOPED GRANITE CURB
- FENCE
- BORDERING VEGETATED WETLAND
- GRAVEL DRIVE
- OVERHEAD WIRES
- UTILITY POLE
- DEEP OBSERVATION HOLE
- PERCOLATION TEST HOLE
- EXISTING SPOT GRADE

— DENOTES STONE BOUND TO BE SET BY OWNER UNLESS OTHERWISE NOTED. (TO BE SUPERVISED BY A MASSACHUSETTS PROFESSIONAL LAND SURVEYOR)

EXISTING CONDITIONS & DEMOLITION PLAN



Hayes
 0' 10' 20' 40' 60'

**DEFINITIVE PLAN
 ROAD A
 LYNNFIELD, MASS.**

ASSESSORS MAP 33 LOT 288

DEVELOPER/OWNER: AUDREY HICKMAN, 271 MAIN STREET, LYNNFIELD, MA 01940
 Engineer: Hayes Engineering, Inc., 603 Salem Street, Wakefield, Mass. 01880, www.hayeseng.com
 Scale: 1"=20' August 13, 2020

CURRENT OWNERSHIP

THOMAS S. HICKMAN, AUDREY L. HICKMAN AND ZINA GREENWOOD
 DEED REFERENCE: BOOK 10853 PAGE 62 ESSEX SOUTH
 REGISTRY OF DEEDS
 PLAN REFERENCE: PLAN BOOK 117 PLAN 7 ESSEX SOUTH
 REGISTRY OF DEEDS
 ASSESSOR'S PARCEL ID: 0033-0000-0288
 #271 MAIN STREET

GENERAL NOTES:

- ALL CLEARING, EXCAVATING, AND FILLING WILL BE PERFORMED IN ACCORDANCE WITH SECTION 8.2.1 OF THE RULES & REGULATIONS OF THE PLANNING BOARD GOVERNING THE SUBDIVISION OF LAND IN LYNNFIELD, MASSACHUSETTS (R&R) SECTION 7.5
- CONTOURS IN WETLAND AREA AND UNDER TREE COVER TAKEN FROM LIDAR.

BENCHMARKS: DATUM NAVD88

- #1 TOP DRILL HOLE IN CONCRETE ELEVATION=92.38
- #2 TOP TACK IN PAVEMENT ELEVATION=95.72
- #3 TOP TACK IN PAVEMENT ELEVATION=93.78
- #4 TOP STONE BOUND (DOWN 1') ELEVATION=101.02
- #5 TOP STONE BOUND (DOWN 3') ELEVATION=99.37

REQUESTED WAIVERS

PLAN WAIVERS:
 375-6.4.B(8) TO NOT SHOW REGULATED RESOURCES WITHIN 150' FROM THE SUBDIVISION. RESOURCES ARE SHOWN ON THE SUBDIVISION PROPERTY.

I CERTIFY THAT I HAVE CONFORMED WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS IN PREPARING THIS PLAN.

HAYES ENGINEERING, INC.

10		
9		
8		
7		
6		
5		
4		
3		
2	Peer Review Comments	4-28-2021
1	Peer Review Comments	3-24-2021
No.	Revision	Date

LYNNFIELD PLANNING BOARD


Application Filed: _____
Final Plan Filed: _____
Hearing Date: _____
Plan Approved: _____
Plan Signed: _____
EXISTING SHEET 1 OF 1
SHEET 2 OF 6

M:\LY2812\271main\HPC_S_dwg_4/28/2021 1:17:41 PM, EBL

CLERK'S CERTIFICATION ON THE PLAN
DATE: _____



I, _____, CLERK OF THE TOWN OF LYNNFIELD, DO HEREBY CERTIFY THAT THE NOTICE OF APPROVAL OF THIS PLAN BY THE PLANNING BOARD HAS BEEN RECEIVED AND RECORDED AT THIS OFFICE AND NO APPEAL WAS RECEIVED DURING THE TWENTY DAYS NEXT AFTER SUCH RECEIPT AND RECORDING OF SAID NOTICE.

TOWN CLERK



LEGEND

- PROPOSED CAPE COD BERM CCB
- PROPOSED GAS LINE G
- PROPOSED ELECTRIC CONDUITS E
- PROPOSED WATER LINE W
- CATCH BASIN
- UTILITY POLE
- DRAIN FLOW



STORMTECH SC-310 CROSS SECTION
NOT TO SCALE

--- DENOTES STONE BOUND TO BE SET BY OWNER UNLESS OTHERWISE NOTED.
(TO BE SUPERVISED BY A MASSACHUSETTS PROFESSIONAL LAND SURVEYOR)

REQUESTED WAIVERS

- PLAN WAIVERS:**
375-6.4.C(1)(d) SCALE OF THE PLAN IS 1"=20' HORIZONTAL AND 1"=2' VERTICAL
375-6.4.C(2)(d) TO NOT SHOW ABUTTING HOUSES
- BENCHMARKS: DATUM NAVD88**
- #1 TOP DRILL HOLE IN CONCRETE ELEVATION=92.38
 - #2 TOP TACK IN PAVEMENT ELEVATION=93.78
 - #3 TOP TACK IN PAVEMENT ELEVATION=93.78
 - #4 TOP STONE BOUND (DOWN 1") ELEVATION=101.02
 - #5 TOP STONE BOUND (DOWN 3") ELEVATION=99.37


CURRENT OWNERSHIP

THOMAS S. HICKMAN, AUDREY L. HICKMAN AND ZINA GREENWOOD
DEED REFERENCE: BOOK 10853 PAGE 62 ESSEX SOUTH
REGISTRY OF DEEDS
PLAN REFERENCE: PLAN BOOK 117 PLAN 7 ESSEX SOUTH
REGISTRY OF DEEDS
ASSESSOR'S PARCEL ID: 0033-0000-0288
#271 MAIN STREET

I CERTIFY THAT I HAVE CONFORMED WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS IN PREPARING THIS PLAN.

HAYES ENGINEERING, INC.

10/15/2021 11:18:34 PM, EBL



ROAD A

PLAN AND PROFILE	
DEFINITIVE PLAN	
ROAD A	
LYNNFIELD, MASS.	
ASSESSORS MAP 33 LOT 288	
DEVELOPER/OWNER AUDREY HICKMAN 271 MAIN STREET LYNNFIELD, MA 01940	Engineer Hayes Engineering, Inc. 603 Solem Street Wakefield, Mass. 01880 www.hayeseng.com
Scale: 1"=20'(HOR.) & 2'(VERT.)	
August 13, 2020	
LYNNFIELD PLANNING BOARD	Application Filed: _____ Final Plan Filed: _____ Hearing Date: _____ Plan Approved: _____ Plan Signed: _____
PROFILE SHEET 1 OF 1	
SHEET 3 OF 6	


10		
9		
8		
7		
6		
5		
4		
3		
2	Peer Review Comments	4-28-2021
1	Peer Review Comments	3-24-2021
No.	Revision	Date

CLERK'S CERTIFICATION ON THE PLAN

DATE: _____

I, _____, CLERK OF THE TOWN OF LYNNFIELD, DO HEREBY CERTIFY THAT THE NOTICE OF APPROVAL OF THIS PLAN BY THE PLANNING BOARD HAS BEEN RECEIVED AND RECORDED AT THIS OFFICE AND NO APPEAL WAS RECEIVED DURING THE TWENTY DAYS NEXT AFTER SUCH RECEIPT AND RECORDING OF SAID NOTICE.

TOWN CLERK



LEGEND

- BIT BERM
EDGE PAVEMENT
SLOPED GRANITE CURB
FENCE
BORDERING VEGETATED WETLAND
GRAVEL DRIVE
OVERHEAD WIRES
UTILITY POLE
DEEP OBSERVATION HOLE
PERCOLATION TEST HOLE
EXISTING SPOT GRADE
PROPOSED CAPE COD BERM
PROPOSED CONTOUR
PROPOSED DRAINAGE FLOW

--- DENOTES STONE BOUND TO BE SET BY OWNER UNLESS OTHERWISE NOTED. (TO BE SUPERVISED BY A MASSACHUSETTS PROFESSIONAL LAND SURVEYOR)

TOPOGRAPHIC PLAN & EROSION CONTROL PLAN

Seal of Peter J. Ogren, Civil Engineer, No. 27145. Includes a scale bar from 0' to 60'.

DEFINITIVE PLAN ROAD A LYNNFIELD, MASS. ASSESSORS MAP 33 LOT 288

DEVELOPER/OWNER: THOMAS S. HICKMAN, AUDREY L. HICKMAN AND ZINA GREENWOOD. Engineer: Hayes Engineering, Inc.

CURRENT OWNERSHIP

THOMAS S. HICKMAN, AUDREY L. HICKMAN AND ZINA GREENWOOD. DEED REFERENCE: BOOK 10853 PAGE 62 ESSEX SOUTH REGISTRY OF DEEDS. PLAN REFERENCE: PLAN BOOK 117 PLAN 7 ESSEX SOUTH REGISTRY OF DEEDS. ASSESSOR'S PARCEL ID: 0033-0000-0288 #271 MAIN STREET

BENCHMARKS: DATUM NAVD88

- #1 TOP DRILL HOLE IN CONCRETE ELEVATION=92.38
#2 TOP TACK IN PAVEMENT ELEVATION=95.72
#3 TOP TACK IN PAVEMENT ELEVATION=93.78
#4 TOP STONE BOUND (DOWN 1') ELEVATION=101.02
#5 TOP STONE BOUND (DOWN 3') ELEVATION=99.37

REQUESTED WAIVERS

PLAN WAIVERS: 375-6.4.D(2) TO SHOW TWO FOOT CONTOURS IN PLACE OF ONE FOOT CONTOURS. 375-6.4.D(8) TO NOT SHOW TOP AND BOTTOM OF CURB ELEVATIONS. 375-6.4.D(11) TO NOT SHOW STORMWATER DETAIL ON THIS SHEET. 375-6.4.D(12) TO NOT SHOW SIGHT DISTANCES.

NOTE: ANY AREA THAT HAS BEEN DISTURBED AND WILL BE EXPOSED FOR MORE THAN 10 DAYS SHALL BE MULCHED OR OTHERWISE TREATED TO PREVENT EROSION. IF EXPOSURE WILL BE MORE THAN 30 DAYS, THE AREA SHALL BE COVERED WITH ANNUAL RYE.

THE TRACKING PAD SHALL BE INSTALLED IN THE INITIAL STAGE OF CONSTRUCTION.

ACCUMULATED SEDIMENTS MUST BE REMOVED ON A REGULAR BASIS FROM THE SITE ENTRANCE AND ADJACENT ROADWAY VIA STREET SWEEPING OR HAND SWEEPING AS NECESSARY.

EROSION CONTROLS SHALL BE INSPECTED AND MAINTAINED AT LEAST EVERY 14 DAYS AND FOLLOWING ANY STORM EVENT OF 0.5 INCHES OR GREATER.





NOTE: ALL DISTURBED AREAS TO BE LOAMED AND HYDRO-SEEDED.

I CERTIFY THAT I HAVE CONFORMED WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS IN PREPARING THIS PLAN.

HAYES ENGINEERING, INC.

Table with 2 columns: Description (Peer Review Comments, Revision), Date (4-28-2021, 3-24-2021). Includes a revision log.






Approval table with columns for Lynnfield Planning Board, Application Filed, Hearing Date, Plan Approved, Plan Signed, and TOPOGRAPHIC SHEET 1 OF 1 SHEET 4 OF 6.



REQUESTED WAIVERS
PLAN WAIVERS: TO NOT SHOW THE FOLLOWING DETAILS.

375-6.4.G(1)(g) SPILLWAY CROSS SECTION
375-6.4.G(1)(h) DETENTION BASIN EMBANKMENT
375-6.4.G(1)(m) WOOD/STEEL GUARDRAIL INSTALLATION
375-6.4.G(1)(p) WHEELCHAIR RAMP
375-6.4.G(1)(q) STREETLIGHT POLE BASE
375-6.4.G(1)(r) STREETLIGHT CONTROL BOX
375-6.4.G(1)(s) STREETLIGHT POLE
375-6.4.G(1)(t) STREETLIGHT
375-6.4.G(1)(u) DESIGNATED TREE PROTECTION ZONE




GR. ELEV. = 90.5±
0'-30" FSL
30"-42" SL
84"-120" CS
E.S.H.W. 85.9
42"-84" GRSL
SWA-1



GR. ELEV. = 91.0±
0'-24" FSL
24"-40" SL
40"-63" LS
E.S.H.W. 86.0
63"-84" GRCS
SWA-2

I CERTIFY THAT I HAVE CONFORMED WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS IN PREPARING THIS PLAN.

HAYES ENGINEERING, INC.



CLERK'S CERTIFICATION ON THE PLAN
DATE: _____

I, _____, CLERK OF THE TOWN OF LYNNFIELD, DO HEREBY CERTIFY THAT THE NOTICE OF APPROVAL OF THIS PLAN BY THE PLANNING BOARD HAS BEEN RECEIVED AND RECORDED AT THIS OFFICE AND NO APPEAL WAS RECEIVED DURING THE TWENTY DAYS NEXT AFTER SUCH RECEIPT AND RECORDING OF SAID NOTICE.

TOWN CLERK

DETAIL SHEET

Seal: PETER J. GREEN CIVIL ENGINEER No. 27148

Hayes

0' 10' 20' 40' 60'

DEFINITIVE PLAN
ROAD A
LYNNFIELD, MASS.
ASSESSORS MAP 33 LOT 288

DEVELOPER/OWNER: AUDREY HICKMAN, 271 MAIN STREET, LYNNFIELD, MA 01940

Engineer: Hayes Engineering, Inc., 603 Solem Street, Wakefield, Mass. 01880, www.hayeseng.com

Scale: 1"=20'


August 13, 2020

LYNNFIELD PLANNING BOARD


Application Filed: _____
Final Plan Filed: _____
Hearing Date: _____
Plan Approved: _____
Plan Signed: _____

DETAIL SHEET 1 OF 2
SHEET 5 OF 6



ROADWAY INFILTRATION CHAMBER DETAIL
NOT TO SCALE




MONITORING WELL
NOT TO SCALE




TYPICAL ROOF RECHARGE CHAMBER DETAIL
NOT TO SCALE





NOTES:
1. WOVEN WIRE FENCE (6"x6"x14.5 GA.) UNDER NON-WOVEN FILTER FABRIC TO BE USED AT ALL WETLAND CROSSINGS AND ALL AREAS WITHIN 25' OF THE WETLAND LINE. ALL OTHER LOCATIONS THE FILTER FABRIC TO BE UV RESISTANT POLYPROPYLENE WITH A MINIMUM WEIGHT OF 2.5 OZ./SY.
2. USE MULTIPLE ROWS OF SILT FENCE FOR LONG STEEP SLOPES IF NECESSARY.



NOTE:
1. CHAMBERS SHALL BE INSTALLED A MINIMUM OF 10' FROM HOUSE.



CENTERLINE GEOMETRY
SCALE: 1"=20'



I CERTIFY THAT I HAVE CONFORMED WITH THE RULES AND REGULATIONS OF THE REGISTERS OF DEEDS IN PREPARING THIS PLAN.


HAYES ENGINEERING, INC.

- Agrostis Alba "Redtop" Perennial Grass 2-gal. planted 12-feet on center
- Juniperus horizontalis "Bar Harbor" "Creeping Juniper" 2-gal. planted 12-feet on center
- Viburnum dentatum "Arrow-wood" 2-gal. planted 8-feet on center


CLERK'S CERTIFICATION ON THE PLAN
DATE: _____

I, _____, CLERK OF THE TOWN OF LYNNFIELD, DO HEREBY CERTIFY THAT THE NOTICE OF APPROVAL OF THIS PLAN BY THE PLANNING BOARD HAS BEEN RECEIVED AND RECORDED AT THIS OFFICE AND NO APPEAL WAS RECEIVED DURING THE TWENTY DAYS NEXT AFTER SUCH RECEIPT AND RECORDING OF SAID NOTICE.

TOWN CLERK



PROVIDE A MINIMUM OF 2' OF SEPARATION FROM ESTIMATED SEASONAL HIGH WATER TABLE TO TOP OF HARDWOOD MULCH LAYER



ENGINEERED SOIL MIX FOR BIO-RETENTION SHALL CONSIST OF:

- 40% SAND
- 20-30% TOP SOIL; AND
- 30-40% COMPOST

(REFER TO VOLUME 2, CHAPTER 2 OF THE MASSACHUSETTS STORM WATER HANDBOOK)

TYPICAL BIO-RETENTION AREA
NOT TO SCALE

DETAIL SHEET

Seal
PETER J. OGDEN
CIVIL
No. 27148
MASS.
August 13, 2020

Hayes

0' 10' 20' 40' 60'

DEFINITIVE PLAN
ROAD A
LYNNFIELD, MASS.
ASSESSORS MAP 33 LOT 288

DEVELOPER/OWNER: AUDREY HICKMAN, 271 MAIN STREET, LYNNFIELD, MA 01940
Engineer: Hayes Engineering, Inc., 603 Salem Street, Wakefield, Mass. 01880, www.hayeseng.com

Scale: 1"=20' August 13, 2020

10		
9		
8		
7		
6		
5		
4		
3		
2	Peer Review Comments	4-28-2021
1	Peer Review Comments	3-24-2021
No.	Revision	Date

LYNNFIELD PLANNING BOARD

Application Filed: _____
Final Plan Filed: _____
Hearing Date: _____
Plan Approved: _____
Plan Signed: _____

DETAIL SHEET 2 OF 2
SHEET 6 OF 6