

October 12, 2020

**VIA EMAIL**

Ms. Kristin Esposito McRae, RS  
Health Director  
Town of Lynnfield  
Town Hall  
55 Summer Street  
Lynnfield, MA 01940

Ms. Emilie Cademarton  
Director of Planning & Conservation  
Town of Lynnfield  
Town Hall  
55 Summer Street  
Lynnfield, MA 01940

Mr. Robert Dolan  
Town Administrator  
Town of Lynnfield  
Town Hall  
55 Summer Street  
Lynnfield, MA 01940

Mr. Charles Richter, P.E.  
Town Engineer  
Town of Lynnfield  
Town Hall  
55 Summer Street  
Lynnfield, MA 01940

**Re: Release of Mineral Oil Dielectric Fluid  
Roadway at 4 Willowby Way  
Lynnfield, Massachusetts  
MADEP Release Tracking No. 3-36530  
CJW Project #6042**

Dear Ms. McRae, Ms. Cademarton, Mr. Dolan, and Mr. Richter:

In accordance with the Massachusetts Contingency Plan (MCP) [(310 CMR 40.0371(3) and 40.1403(3)(h)] and on behalf of the Reading Municipal Light Department, the purpose of this letter is to:

- ◆ Notify the Town of Lynnfield of a release of approximately 24 gallons of mineral oil dielectric fluid (MODF) from a pole-mounted transformer that was located near 4 Willowby Way, Lynnfield, MA (the site). The release occurred on September 30, 2020 and impacted (1) a portion of the roadway surfaces of Willowby Way, Daventry Court and Mirabeau Lane; (2) numerous catch basins located on these roadways (due to a rain event) and then discharging to Beaverdam Brook; (3) Beaverdam Brook; (4) and an earthen drainage ditch located between Daventry Court and Mirabeau Lane. It appears that the impacted portion of the drainage ditch is on property owned by Jonida and Mike Duni of 33 Daventry Court (Map 20, Parcel 2112). Cleanup measures were implemented which included cleaning of the roadway surfaces; pressure and high temperature washing of the impacted catch basins; pumping out the catch basins; installing booms in each of the impacted catch basins and at the discharge to Beaverdam Brook; and excavation and removal of impacted soil along the above-noted drainage ditch.

The Massachusetts Department of Environmental Protection (MADEP) has assigned Release Tracking Number (RTN) 3-36530 to this release. The enclosed copy of the revised Release Notification Form (RNF) (form BWSC 103), which was submitted to the MADEP, provides more information concerning the release; and

- ◆ Notify you of your rights to request additional Public Involvement Activities under 310 CMR 40.1403(9), as applicable, and upon Tier Classification, if performed, under 310 CMR 40.1404.

Please note that I have already spoken to Mr. Dolan and Mr. Richter about this release. However, do not hesitate to call us at your convenience if you should have any further questions.

Sincerely,

**CUSHING, JAMMALLO & WHEELER, INC.**

Joseph M Jammallo, LSP, PG  
President

Enclosure: BWSC Form 103

cc: Nick D'Alleva, Reading Municipal Light Dept., w/enclosure;  
Massachusetts Department of Environmental Protection w/enclosure



**RELEASE NOTIFICATION & NOTIFICATION  
RETRACTION FORM**

Release Tracking Number

3 - 36530

Pursuant to 310 CMR 40.0335 and 310 CMR 40.0371 (Subpart C)

**A. RELEASE OR THREAT OF RELEASE LOCATION:**

1. Release Name/Location Aid: IN FRONT OF 4 WILLOWBY WAY  
2. Street Address: WILLOWBY WAY  
3. City/Town: LYNNFIELD 4. ZIP Code: 019400000  
5. Coordinates: a. Latitude: N 42.54861 b. Longitude: W 71.03783

**B. THIS FORM IS BEING USED TO:** (check one)

- 1. Submit a **Release Notification**
- 2. Submit a **Revised Release Notification**
- 3. Submit a **Retraction of a Previously Reported Notification** of a release or threat of release including supporting documentation required pursuant to 310 CMR 40.0335 (Section C is not required)

(All sections of this transmittal form must be filled out unless otherwise noted above)

**C. INFORMATION DESCRIBING THE RELEASE OR THREAT OF RELEASE (TOR):**

1. Date and time of Oral Notification, if applicable: 9/30/2020 Time: 11:57  AM  PM  
mm/dd/yyyy hh:mm  
2. Date and time you obtained knowledge of the Release or TOR: 9/30/2020 Time: 11:30  AM  PM  
mm/dd/yyyy hh:mm  
3. Date and time release or TOR occurred, if known: \_\_\_\_\_ Time: \_\_\_\_\_  AM  PM  
mm/dd/yyyy hh:mm

Check all Notification Thresholds that apply to the Release or Threat of Release:  
(for more information see 310 CMR 40.0310 - 40.0315)

- |   |   |   |
|---|---|---|
| 4. 2 HOUR REPORTING CONDITIONS  | 5. 72 HOUR REPORTING CONDITIONS   | 6. 120 DAY REPORTING CONDITIONS   |
| <input checked="" type="checkbox"/> a. Sudden Release                     | <input type="checkbox"/> a. Subsurface Non-Aqueous Phase Liquid (NAPL) Equal to or Greater than 1/2 Inch (.04 feet) | <input type="checkbox"/> a. Release of Hazardous Material(s) to Soil or Groundwater Exceeding Reportable Concentration(s)                             |
| <input type="checkbox"/> b. Threat of Sudden Release                      | <input type="checkbox"/> b. Underground Storage Tank (UST) Release  | <input type="checkbox"/> b. Release of Oil to Soil Exceeding Reportable Concentration(s) and Affecting More than 2 Cubic Yards                        |
| <input checked="" type="checkbox"/> c. Oil Sheen on Surface Water         | <input type="checkbox"/> c. Threat of UST Release   | <input type="checkbox"/> c. Release of Oil to Groundwater Exceeding Reportable Concentration(s)   |
| <input type="checkbox"/> d. Poses Imminent Hazard                         | <input type="checkbox"/> d. Release to Groundwater near Water Supply  | <input type="checkbox"/> d. Subsurface Non-Aqueous Phase Liquid (NAPL) Equal to or Greater than 1/8 Inch (.01 feet) and Less than 1/2 Inch (.04 feet) |
| <input type="checkbox"/> e. Could Pose Imminent Hazard                    | <input type="checkbox"/> e. Substantial Release Migration   |   |
| <input type="checkbox"/> f. Release Detected in Private Well              |   |   |
| <input checked="" type="checkbox"/> g. Release to Storm Drain             |   |   |
| <input type="checkbox"/> h. Sanitary Sewer Release (Imminent Hazard Only) |   |   |



**RELEASE NOTIFICATION & NOTIFICATION  
RETRACTION FORM**

Release Tracking Number

3 - 36530

Pursuant to 310 CMR 40.0335 and 310 CMR 40.0371 (Subpart C)

**C. INFORMATION DESCRIBING THE RELEASE OR THREAT OF RELEASE (TOR): (cont.)**

7. List below the Oils (O) or Hazardous Materials (HM) that exceed their Reportable Concentration (RC) or Reportable Quantity (RQ) by the greatest amount.

Check here if an amount or concentration is unknown or less than detectable.

O or HM Released	CAS Number, if known	O or HM	Amount or Concentration	Units	RCs Exceeded, if Applicable (RCS-1, RCS-2, RCGW-1, RCGW-2)
MINERAL OIL DIELECTRIC FLUID		O	24	GAL	N/A

Check here if a list of additional Oil and Hazardous Materials subject to reporting, or any other documentation relating to this notification is attached.

**D. PERSON REQUIRED TO NOTIFY:**

1. Check all that apply:  a. change in contact name  b. change of address  c. change in the person notifying

2. Name of Organization: READING MUNICIPAL LIGHT DEPARTMENT

3. Contact First Name: NICK 4. Last Name: D'ALLEVA

5. Street: 230 ASH STREET, P.O. BOX 150 6. Title: TECHNICAL SERVICES MANAGER

7. City/Town: READING 8. State: MA 9. ZIP Code: 018670000

10. Telephone: 781-942-6456 11. Ext.: \_\_\_\_\_ 12. Email: ndalleva@RMLD.com

13. Check here if attaching names and addresses of owners of properties affected by the Release or Threat of Release, other than an owner who is submitting this Release Notification (required).

**E. RELATIONSHIP OF PERSON TO RELEASE OR THREAT OF RELEASE:**  Check here to change relationship

1. RP or PRP  a. Owner  b. Operator  c. Generator  d. Transporter

e. Other RP or PRP Specify: OWNER OF TRANSFORMER

2. Fiduciary, Secured Lender or Municipality with Exempt Status (as defined by M.G.L. c. 21E, s. 2)

3. Agency or Public Utility on a Right of Way (as defined by M.G.L. c. 21E, s. 5(j))

4. Any Other Person Otherwise Required to Notify Specify Relationship: \_\_\_\_\_



RELEASE NOTIFICATION & NOTIFICATION  
RETRACTION FORM

Release Tracking Number

3 - 36530

Pursuant to 310 CMR 40.0335 and 310 CMR 40.0371 (Subpart C)

F. CERTIFICATION OF PERSON REQUIRED TO NOTIFY:

1. I, NICK D'ALLEVA, attest under the pains and penalties of perjury (i) that I have personally examined and am familiar with the information contained in this submittal, including any and all documents accompanying this transmittal form, (ii) that, based on my inquiry of those individuals immediately responsible for obtaining the information, the material information contained in this submittal is, to the best of my knowledge and belief, true, accurate and complete, and (iii) that I am fully authorized to make this attestation on behalf of the entity legally responsible for this submittal. I/the person or entity on whose behalf this submittal is made am/is aware that there are significant penalties, including, but not limited to, possible fines and imprisonment, for willfully submitting false, inaccurate, or incomplete information.

2. By : NICK D'ALLEVA 3. Title: TECHNICAL SERVICES MANAGER  
Signature

4. For: READING MUNICIPAL LIGHT DEPARTMENT 5. Date : 10/12/2020  
(Name of person or entity recorded in Section D) mm/dd/yyyy

6. Check here if the address of the person providing certification is different from address recorded in Section D.

7. Street: \_\_\_\_\_

8. City/Town: \_\_\_\_\_ 9. State: \_\_\_\_\_ 10. ZIP Code: \_\_\_\_\_

11. Telephone: \_\_\_\_\_ 12. Ext.: \_\_\_\_\_ 13. Email: \_\_\_\_\_

**YOU ARE SUBJECT TO ANNUAL COMPLIANCE ASSURANCE FEES FOR EACH BILLABLE YEAR FOR TIER CLASSIFIED DISPOSAL SITES. YOU MUST LEGIBLY COMPLETE ALL RELEVANT SECTIONS OF THIS FORM OR DEP MAY RETURN THE DOCUMENT AS INCOMPLETE. IF YOU SUBMIT AN INCOMPLETE FORM, YOU MAY BE PENALIZED FOR MISSING A REQUIRED DEADLINE.**

Date Stamp (DEP USE ONLY:)

Received by DEP on 10/12/2020 2:00:29 PM

**ATTACHMENT TO FORM BWSC 103  
Documentation for Submittal of  
Revised Release Notification  
Willowby Way  
Lynnfield, Massachusetts  
MADEP Release Tracking Number 3-36530**

This Revised Release Notification is being submitted since:

1. The date of the oral notification included in Section C.1 was incorrect; and
2. Additional Notification Thresholds were added in Section C.4 to appropriately describe the release.

**ATTACHMENT TO FORM BWSC 103  
Location Aid: In Front of 4 Willowby Way  
Willowby Way  
Lynnfield, Massachusetts  
MADEP Release Tracking Number 3-36530**

**Section D.13**

Names and addresses of owners of properties affected by the Release or Threat of Release, other than an owner who is submitting this Release Notification:

Town of Lynnfield, MA  
Town Hall  
55 Summer Street  
Lynnfield, MA 01940

Jonida Duni  
Mike Duni  
33 Daventry Court  
Lynnfield, MA 01940